

SAFETY DATA SHEET

Version : 1 Revision date : July 21, 2020

1. PRODUCT AND COMPANY IDENTIFICATION

Trade Name & Synonyms	Formed Sulfur, Granules, Pellets, Flakes, Arrow Roll, 420 Flake, Code 1660, Poultry Shield, Pastille	
Chemical Name	Sulfur	
CAS Number	7704 34 9	
Family Name	Element - Formed Sulfur	
Chemical Formula	S ₈	
Recommended Use	Animal feed, metal refining, and various industrial applications	
Restrictions on Use	Keep away from heat sources, sparks, or open flames	
Details of the supplier of the safety data sheet		
Supplier	Pestell Nutrition	
Address	141 Hamilton Rd New Hamburg, Ontario	
	Canada, N3A 2H1	
Phone	519-662-2877	
Email	qa@pestell.com	
Emergency telephone number (24 hr)	Canada: CANUTEC 1 613-996-6666	
	US: CHEMTREC 1 703-527-3887	

2. HAZARDS IDENTIFICATION

GHS Information:

Classification: Skin irritation, Category 2

GHS Label Elements

Pictogram(s):



Signal Word: Warning

Hazard Statement	H290: May be corrosive to metals.					
	H303: May be harmful if swallowed.					
	H316: May cause mild skin irritation.					
	H320: May cause eye irritation.					
	H335: May cause respiratory irritation.					
Prevention Statement	P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.					
	P220: Keep away from oxidizing agents.					
	P424: Use non-sparking tools when available.					
	P243: Take precautionary measures against static discharge.					
	P261: Avoid breathing dust/fume/gas/mist/vapors/spray.					
	P264: Wash hands thoroughly after handling and before eating.					
	P284: In case of inadequate ventilation, wear respiratory protection.					
Response Statement	P362: Take off contaminated clothing.					
	P363: Wash contaminated clothing before reuse.					
	P370+P378: In case of a fire, use water fog, spray, or regular foam to extinguish.					
	Do not use a direct water stream.					
	P381: Eliminate all ignition sources.					
Storage Statement	P402: Store in a dry place.					
	P403: Store in a well ventilated place.					
	P404: Store in a closed container.					

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Characterization

Mixture

Product	Percentage Contained	CAS Number
Sulfur	>99.5%	7704-34-9

Hazardous Ingredient None

4. FIRST AID MEASURES

Description of First Aid MeasuresSkinWash skin thoroughly with mild soap and water. Wash exposed clothing separately before reuse.		
Eye	Immediately flush eyes with plenty of water for 15 minutes, while holding upper and lower lid apart to insure rinsing of entire eye surface and lids. Do not use boric acid to rinse with. FOR SEVERE IRRITATION, SEEK MEDICAL ATTENTION, preferably an ophthalmologist.	
Inhalation	Move victim to fresh air. Watch for signs of an allergic reaction. Use a bronchodilator inhaler if directed by asthma patient. Keep victim warm and quiet. If not breathing, give artificial respiration. If heart has stopped beating, start cardiopulmonary resuscitation (CPR). SEEK MEDICAL ATTENTION.	
Ingestion	Give one tablespoon of <i>Syrup of Ipecac</i> to induce vomiting. If vomiting does occur, give fluids again. If vomiting has not occurred in twenty minutes, the same dose of <i>Syrup of Ipecac</i> may be repeated one additional time. Alternatively, vomiting may be induced by touching the back of the throat with a finger. Do not give anything by mouth to an unconscious or convulsing person. SEEK MEDICAL ATTENTION.	

5. FIREFIGHTING MEASURES

Suitable Extinguishing Media	Water fog, spray, or regular foam. Do not use a direct water stream.
Unsuitable Extinguishing Media	Do not use solid streams of water, which could create sulfur dust clouds and cause an explosion or could move burning sulfur to adjacent areas.
Exposure Hazards	Prevent human exposure to smoke, fumes, or products of combustion (sulfur oxide gases). Evacuate nonessential personnel from the fire area. If large fire, evacuate people downwind from fire. Consider evacuation for ½ mile in all directions.
Advice for Firefighters	Firemen exposed to contaminated smoke should be immediately relieved and checked for symptoms of exposure of toxic gases. This should not be mistaken for heat exhaustion or smoke inhalation. SEEK MEDICAL ATTENTION IMMEDIATELY.
Protective Equipment	Wear full-faced, self-contained breathing apparatus and full protective clothing.
Fire and Explosion Hazards	Fire will rekindle until mass is cooled below 310°F (154°C). Cool surrounding areas with water fog to prevent re igniting. Sulfur dust is HIGHLY FLAMMABLE. If suspended in air, it will ignite by friction, static electricity, heat, sparks, or flames. Sulfur dust clouds may explode.
Combustion Products	Sulfur oxide gases.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Minor spills such as torn or ruptured containers should be repaired or patched with tape if possible. Place spilled material in a disposable container. Avoid getting dust in eyes.	
Protective Equipment	Maintain adequate ventilation. Wear a dust mask when dust is present or a respirator if smoke is present. Wear safety glasses.	
Emergency Procedures	As an immediate precautionary measure isolate spills or leak areas. Eliminate all sources of ignition, such as flares, sparks, or flames, in the immediate area. No smoking. Ventilate closed spaces before entering.	
Environmental Precautions	Do not allow runoff to enter lakes or waterways.	
Containment/Cleanup Measures	Gently sweep or shovel up spilled material using a natural fiber broom and/or aluminum shovel to prevent sparking, to avoid creating a dust cloud. Place sweepings in an appropriate chemical waste container for reclaiming or disposal in an approved facility. Wash spill site after clean-up is complete.	

7. HANDLING AND STORAGE

Precautions for Safe Handling All handling and conveying equipment should be properly grounded and bonded. Be careful not to create dust during handling. Avoid any conditions that might tend to create a dust explosion. Maintain good housekeeping practices to minimize dust build-up and dispersion. Eliminate sources of ignition. Keep away from heat, sparks, and flames. Use nonferrous tools, when available, to reduce sparking. Gently sweep or shovel up spilled materials using a natural fiber broom and/or aluminum shovel to prevent sparking. Maintain adequate ventilation in all areas.

Sulphur CF30 (SDS)

Conditions for Safe Storage, Including any Incompatibilities:

Containers should be stored in a cool, dry, well ventilated area. Keep container tightly closed. Store away from flammable materials, sources of heat, flames, and sparks. Separate from chlorates, nitrates, and other oxidizing agents. Exercise due caution to prevent damage to or leakage from container.

Incompatible Materials Keep away from flammable materials, sources of heat, flame, sparks, chlorates, nitrates and other oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures/Control

Maintain adequate ventilation in all areas. No flares or flames in area. Be careful not to create dust. Eliminate sources of ignition.

Personal Protective Equipment Pictograms



Respiratory	Wear dust masks and use NIOSH/MSHA approved dust respirator if airborne concentrations exceed exposure limits.		
Eyes/Face	Wear suitable, protective safety glasses to prevent eye irritation from dust.		
Hands	Wash hands thoroughly after handling and before eating or smoking.		
Skin/Body	Wear suitable, protective clothing to prevent skin irritation from dust. Wash skin thoroughly after handling and before eating or smoking. Wash contaminated clothing separately before reuse.		
Environmental Exposure Controls	Follow best practice for site management and disposal of waste. Avoid release to the environment.		
General Industrial Hygiene Considerations	Protective equipment should be used in any situation that may result in hazardous exposure. Maintain good housekeeping practices to minimize dust build-up and dispersion. Eliminate sources of ignition. Use nonferrous tools to reduce sparking. Sweep or shovel up spilled material using a natural fiber broom and/or aluminum shovel to prevent sparking. Maintain adequate ventilation in all areas.		

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Formed shaped sulfur
Formula	S ₈ (Rhombic or monoclinic)
Odor	Odorless, or faint odor of rotten eggs
Odor Threshold	No data available
рН	No data available
Boiling Point	832° F (444° C)
Melting/Freezing Point	118-120°C (244-248°F)
Flash Point	207°C (405°F) Closed Cup
Evaporation Rate	No data available
Flammability	Sulfur dust may form combustible concentrations
Flammable/Explosion Limits	Upper: 6.38% (v) Lower: 0.17% (v)

Sulphur CF30 (SDS)

Vapor Pressure	8 mmHg at 246°C (475°F)	1 mmHg at 183.8°C (362.8°F)
Vapor Density	No data available	
Purity	99.5% Min.	
Auto-Ignition Temperature	240°C (464°F)	
Decomposition Temperature	Does not decompose	
Viscosity	Not applicable	
Specific Gravity	2.07 @ 70° F	
Solubility in Water	Insoluble	
Bulk Density	Lumps: 75 115 lbs. /ft ³ ; Pe	ellets, Flake: 65 75 lbs. /ft ³

10. STABILITY AND REACTIVITY

Chemical Stability	Stable
Conditions to Avoid	Keep from heat sources, sparks, and open flames.
Incompatible Materials	Oxidizing agents, copper, copper alloys, steel, chlorates, nitrates.
Possibility of Hazardous	Oxidizing agents may react violently.
Reactions	
Hazardous Decomposition	Oxides of sulfur gases produced by burning sulfur.
Products	
Hazardous Polymerization	Will not occur.

11. TOXICOLOGICAL INFORMATION

Likely I	Routes of Exposure	Inhalation, ingestion, skin contact, and eye contact				
-	nd Symptoms of posure	Nose or throat irritation, coughing, chest discomfort, asthma, difficulty breathing, skin irritation, nausea, vomiting, stinging eye irritation, and hives.				
Exposu	ire Limits	No exposure limits have been established.				
Acute : Inhalat	Symptoms and Effects ion	Prolonged inhalation may cause irritation of respiratory tract. Breathing of dust may aggravate asthma and other pulmonary diseases.		ite		
Eye Co	ntact	Sulfur dust is an eye irritant.				
Skin Co	ontact	No adverse e	ffects. Skin irritation may	be aggravated in persons v	with existing skin lesions.	
Ingesti	on	Ingested sulfur is converted to sulfides in the gastrointestinal tract (GI), and ingestion of 10 to 20 grams has caused irritation of the GI tract and renal injury. Swallowing large amounts may cause nausea and vomiting.				
Long To	erm Effects	None known to humans				
Toxicity	ToxicityLD 50Oral: >5050 mg/kg (rats)Dermal: >2020 mg/kg (rats)					
			Inhalation @ 90%: >5.49 mg/L air concentration (rats)			
SkinSlightly irritating (rabbits)EyeMinimal irritation in non washed eyes (rab		ned eyes (rabbits)				
Sensitization		Reproductive Effects	Developmental Effects	Endocrine Disruptor		
	Not Established		Not Established	Not Established	Not Established	
	<u>Carcinogenicity</u> This product does not contain any ingre			<u>ogenicity</u> , IARC, or OSHA as a probal	Mutagenicity ole human carcinogen.	
	P	1 10		, ,		

12. ECOLOGICAL INFORMATION

Toxicity Toxicity to Fish	LC ₅₀ LC ₅₀	Oncorhynchus mykiss (rainbow trout) -> 180 mg/l -96h Other fish- 866 mg/l -96h
Toxicity to Daphnia and Other Aquatic Invertebrates	EC 50	Daphnia magna (Water flea) -> 5,000 mg/l -48h
Ecotoxicity Mobility Degradation Bioaccumulation Results of PBT and vPvB Assessment	No data availabl No data availabl No data availabl No data availabl PBT/vPvB assess	e e

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods		
Product Waste	Dispose of content and/or container in accordance with local, regional, national and/or international regulations.	
Packaging Waste	Dispose of content and/or container in accordance with local, regional, national and/or international regulations.	

14. TRANSPORT INFORMATION

According to the US Department of Transportation, Office of Hazard Materials Standards 49 CFR, sulfur is not subject to the requirements of this subchapter if transported in a non bulk packaging or **if formed to a specific shape (for example, prills, granules, pellets, pastilles, or flakes)**. A bulk packaging containing sulfur is not subjected to the placarding requirements of subpart F of this part, if it is marked with the appropriate identification number as required by subset D of this part.

DOT DOMESTIC:

Shipping Name:	Sulfur Granules, Sulfur Pellets, Sulfur Flake, Arrow Roll		
Hazard Class:	Not regulated		
ID Number:	None		
Packing Group:	Not applicable		
Label:	None required		
Placard:	None required		
Hazardous Substance/Rq:	Not applicable		
This product is not a Marine Pollutant as defined in 40 CFR part 172.			

15. REGULATORY INFORMATION

TSCA	This product is listed on the TSCA Inventory at CAS Registry Number 7704-34-9.
CERCLA	 Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) If this product is accidentally spilled, it is not subject to any special reporting. We recommend that you contact state and local authorities to determine if there are other local reporting requirements.

Sulphur CF30 (SDS)

SARA TITLE III

- Superfund Amendments and Reauthorization Act, Title III
 - Sections 311/312: None. Section 313: None. Section 302: None.

RCRA

- Resource Conservation and Recovery Act
 - Not subject to reporting because sulfur is not i dentified as a hazardous waste.

16. OTHER INFORMATION

Disclaimer

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Pestell Nutrition and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Version: 1 Revision date: 21 July 2020